

RAJIV GANDHI INSTITUTE OF PETROLEUM TECHNOLOGY, JAIS, AMETHI

Date: 06/02/2020

Shukla 06/02/2020
Note to: The Chairman, Department Purchase Committee, RGIPT

Subject: Approval regarding cancellation of E-Tender

We have initiated the procurement of following equipment through open tender (Tenders Published on CPP Portal & institute website) "Insufficient Number of bids after technical evaluation.

E-Tender for Procurement of VACCUM SYSTEM MODEL (RGIPT/JAIS/E-OPN/LAB/2019-20/74)

Sl. No.	Name of the Equipment	In-house Estimate	Type of Tender	Status
1	VACCUM SYSTEM MODEL	4.40,000/-	Open E-Tender	Insufficient Number of bids received (Only One Bid was received even after date of extension)

Therefore, we recommend that the above tender may be cancelled.

In the view of above, you are requested to kindly accord your approval for the following:

To cancel the above-mentioned tender and return the EMD to the participating companies.

Sincerely,

Members, Departmental Purchases Committee

Alpesh Kumar
Dr. Alpesh Kumar
(Member)

Arshad Aijaz
06/02/2020
Dr. Arshad Aijaz
(Member)

Atul Sharma
Dr. Atul Sharma
(Member)

Saurabh Mishra
06/02/2020
Dr. Saurabh Mishra
(Member Secretary)