



Ref. RGIPT/JAIS/IWD/QE/2022-23/05

विद्यारत्नम् महस्वनम्

Date: 11.05.2022

To,

M/s [ Name of Vendor/Contractor]  
Address [ Complete Address of Vendor/Contractor]

Email- .....

Contact No.....

GSTIN: .....

**Sub: Quotation enquiry for Conversion of double occupancy rooms into single occupancy room.**

Dear Sir,

We request you to submit your competitive rates (quotation) for conversion of double occupancy rooms into single occupancy room at RGIPT Jais campus as per the attached BOQ as **Annexure - 1**.

**Terms & Conditions:**

- The rate & amount should be on FOR basis.
- Quoted rate should be inclusive of **GST & Freight charges**.
- Quoted rate shall be valid for period of 2 months from the date of opening of quotation.
- The work should be carried out as per enclosed (BOQ) and Central Public Works Department (CPWD) Civil specification.
- List of preferred makes of materials approved by the Engineer-in-Charge is attached as **Annexure - 2**. In case of non-availability of these makes, the Engineer-in-Charge may allow use of alternative BIS makes of material
- The quotation should be sent to us duly **Signed and Stamped** only in **Sealed Envelope** and Super scribed as **Ref. No.: RGIPT/JAIS/IWD/QE/2022-23/05, Quotation for conversion of double occupancy rooms into single occupancy room at RGIPT Jais** by registered post or by hand to the office of The Chairman, Institute Works Department, RGIPT Jais, Amethi.
- The quotation should be submitted within 10 days from the date of quotation enquiry i.e., the quotation should be received on or before 20.05.2022 by 04:00 PM. Quotation received after the due date, for whatever reason, will not be considered for evaluation.
- The order will be awarded to the vendor, whose rate will be lowest in grand total.
- The Institute reserves the right to accept/reject all or any part of the offer without assigning any reason thereof.
- Your sealed quotation should be addressed to: **The Chairman, Institute Works Department, Rajiv Gandhi Institute of Petroleum Technology Jais, Mukhetiya More, Harbanshganj, Tiloi, Amethi, UP - 229304.**

*Ravish Yadav*  
11/5/2022  
Executive Engineer (Civil)

Page 1 of 4

**Rajiv Gandhi Institute of Petroleum Technology, Jais, Amethi**

<b>Bill of Quantity (BOQ) for Conversion of Double Occupancy Rooms into Single Occupancy in C-Block of Hostel Area</b>					
S.No.	Description	Unit	Quantity	Rate (Rs.)	Amount (Rs.)
	<b>Masonry Work</b>				
1	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level Cement mortar 1:3 (1 cement :3 coarse sand)	sqm.	22.10		
	<b>Flooring</b>				
2	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete. Size of Tile 600x600 mm	sqm.	16.46		
3	Providing and laying Vitrified tiles in different sizes (thickness to be specified by manufacturer), with water absorption less than 0.08 % and conforming to I.S. 15622, of approved make, in all colours & shade, in skirting, riser of steps, over 12 mm thick bed of cement mortar 1:3 (1 cement: 3 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joint with white cement & matching pigments etc. complete. Size of Tile 600x600 mm	sqm.	2.56		
	<b>Finishing</b>				
4	12 mm cement plaster of mix : 1:4 (1 cement: 4 fine sand)	sqm.	21.20		
5	15 mm cement plaster on the rough side of single or half brick wall of mix : 1:4 (1 cement: 4 fine sand)	sqm.	21.20		
6	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	sqm.	192.30		



Bill of Quantity (BOQ) for Conversion of Double Occupancy Rooms into Single Occupancy Rooms in C- Block of Hostel Area						
S.No.	Description	Unit	Quantity	Rate (Rs.)	Amount (Rs.)	
7	Applying one coat of water thinnable cement primer of approved brand and manufacture on wall surface : Water thinnable cement primer	sqm.	92.30			
8	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade : Two or more coats on new work	sqm.	42.30			
9	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade : One or more coats on old work	Sqm.	1425.23			
	<b>Dismantling and Demolishing</b>					
10	Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer - in- charge.	cum.	1.11			
11	Dismantling steel work in single sections including dismembering and stacking within 50 metres lead in: Channels, angles, tees and flats	kg.	355.25			
12	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge. In cement mortar	cum.	2.53			
13	Dismantling stone slab flooring laid in cement mortar including stacking of serviceable material and disposal of unserviceable material within 50 metres lead.	sqm.	1.80			
A	<b>Sub-Total (Sr. No. 1 to 13)</b>					
B	<b>GST @ 12%</b>					
	<b>Total Amount inclusive of GST (A + B)</b>					

LIST OF PREFERRED MAKES

SL.NO.	MATERIALS	MANUFACTURER/BRAND/MAKE
1	CEMENT (PPC/ OPC)	ACC, ULTRATECH, VIKRAM, SHREE CEMENT, AMBUJA, JK CEMENT, MP BIRLA CEMENT
2	VITRIFIED TILES	KAJARIA, SOMANY, NITCO, JOHNSON, RAK, RESTILE, ORIENT BELL
3	CEMENT BASED WALL PUTTY	ASIAN PAINTS, BIRLA WALL CARE, JK WHITE, BERGER
4	CEMENT PRIMER	NEROLAC/BP WHITE (BERGER)/DECOPRIME-WT (ASIAN)/WHITE PRIMER (ICI)
5	SYNTHETIC ENAMEL PAINT	ASIAN PAINTS: APCOLITE PREMIUM SATIN ENAMEL, BERGER: LUXOL SATIN ENAMEL

11

Page 4 of 4