

राजीव गांधी पेट्रोलियम प्रौद्योगिकी संस्थान, जायस, अमेठी-229304 उत्तर प्रदेश, भारत

RAJIV GANDHI INSTITUTE OF PETROLEUM TECHNOLOGY, JAIS, AMETHI- 229304 UTTAR PRADESH, INDIA e-TENDER

e-NOTICE

For

"WOOD PARTITION WORK FOR TRAINING AND PLACEMENT CELL at RGIPT BANGALORE CAMPUS"

Rajiv Gandhi Institute of Petroleum Technology (RGIPT), Jais, Amethi, Uttar Pradesh has been established through an Act of the Parliament by the Ministry of Petroleum and Natural Gas (MoPNG), Government of India in 2008.

The Institute has been accorded the eminence of being an Institution of National Importance on the lines of the IITs. The Institute is associating with leading International Universities/ Institutions specializing in Petroleum Technology and Energy.

The Institute invites offline composite bid for the Wood partition work for Training and Placement cell at RGIPT Bangalore Campus.

CRITICAL DATE AND INFORMATION

	Wood Partition Works for Training and Placement cell at
Name of Work	RGIPT Bangalore Campus
Tender No.	RGIPT/BLR/TNPWORKS/2025/001 Dated: 29-09-2025
Date of Issue/publication of Tender Notice	29th September 2025, 17:00 Hrs.
Bid Document Download Date & Time	29th September 2025, 17:00 Hrs.
Pre-Bid Meeting Date, Time & Venue (Allqueries shall be discussed in the Pre-Bid Meeting.)	6 th October 2025, 14:00 Hrs. Board Room No. AB-003, Ground Floor Academic Block Rajiv Gandhi Institute of Petroleum Technology, Bengaluru Campus. Post: Hasigala, Hoskote Taluk, Bengaluru Rural Karnataka– 562165
Bid Submission Start Date & Time	29 th September 2025, 17:00 Hrs.
Last Date and time of submission of Bids	15 th October 2025, 14:00 Hrs.
Date and time of opening of Bids	16 th October 2025, 14:00 Hrs.
Clarification Start Date	29 th September 2025, 17:00 Hrs.
Clarification Start Date Clarification End Date	29 th September 2025, 17:00 Hrs. 15 th October 2025, 14:00 Hrs.
Clarification End Date	15 th October 2025, 14:00 Hrs. Rs. 78,250.00/- (Rupees Seventy-Eight Thousand Two Hundred
Clarification End Date Earnest Money Deposit	15 th October 2025, 14:00 Hrs. Rs. 78,250.00/- (Rupees Seventy-Eight Thousand Two Hundred Fifty Only)

Notes:

1. Details regarding the tender are available on website of the Institute https://www.rgipt.ac.in

and CPP Portal Tender documents may be downloaded from above mentioned websites. Bidders are therefore requested to visit the websites regularly to keep themselves updated. Any

Addendum/Corrigendum will be displayed on the aforesaid websites only.

2. Payment proof pertaining to EMD (in case of payment of EMD through NEFT/RTGS

transaction, copy of the same is required to be enclosed with the bid document) to be sent to the

Institute at the address indicated below on or before bid opening date/time as mentioned in

critical date sheet.

3. Tender documents received in incomplete shape or beyond the stipulated period shall not be

entertained under any circumstances. The authority reserves the right to accept or reject any or

all tenders without assigning any reason thereof.

4. Earnest Money Deposit (EMD) Rs. 78,250.00/- (Rupees Seventy-Eight Thousand Two Hundred

Fifty Only) in the form of NEFT/Demand Draft, Fixed Deposit Receipt issued by any

Nationalized Bank in favor of "Rajiv Gandhi Institute of Petroleum Technology, payable at

Bangalore".

Bank Account Details of the Institute:

ACCOUNT NAME: Rajiv Gandhi Institute of Petroleum Technology

ACCOUNT NUMBER: 50441574197

IFSC CODE: IDIB000R526

BANK NAME: INDIAN BANK

BRANCH: RAJAJINAGAR, BANGALORE.

ADDRESS OF THE INSTITUTE:

Rajiv Gandhi Institute of Petroleum Technology, Kambalipura, Hoskote Bangaluru Rural,

Post: Hasigala, Karnataka 562165, Website:www.rgipt.ac.in

INTRODUCTION

Rajiv Gandhi Institute of Petroleum Technology (RGIPT), Jais, Amethi, Uttar Pradesh has been established through an Act of the Parliament by the Ministry of Petroleum and Natural Gas (MoPNG), Government of India in 2008.

The Institute has been accorded the eminence of being an Institution of National Importance on the lines of the IITs. The Institute is associating with leading International Universities/Institutions specializing in Petroleum Technology and Energy.

The prime objective of the Institute is to provide education, training, and research to roll out efficient hum resources, and to meet the growing requirements of the Petroleum and Energy sector.

The main campus of the Institute is located at Jais, Amethi, Uttar Pradesh and B. Tech., M. Tech., MBA and Ph.D. programs from there. The Institute has set two centers, namely-RGIPT Assam, Sivasagar offered Diploma, BTech & PhD and RGIPT Bengaluru offered BBA, B Tech, M. Tech & PhD. Programs.

LIST OF DOCUMENTS TO BE UPLOADED

- 1. Bidders should take into account notifications, corrigendum published, if any on the tender document before submitting their bids.
- 2. Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Any deviations from these may lead to rejection of the bid.
- **3.** The composite bid system will be followed for this tender.

"Offline Bid" shall contain:

Sl. No.	Details of Documents	Documents to beUploaded
1.	The EMD of Rs. 78,250.00/- (Rupees Seventy-Eight Thousand Two Hundred Fifty Only) in the form of NEFT/Demand Draft, Fixed Deposit Receipt issued by any Nationalized Bank in favor of "Rajiv Gandhi Institute of Petroleum Technology, payable at Bangalore". Bank Account Details of the Institute: Name: Rajiv Gandhi Institute of Petroleum Technology ACCOUNT NAME: Rajiv Gandhi Institute of Petroleum Technology ACCOUNT NUMBER: 50441574197 IFSC CODE: IDIB000R526 BANK NAME: INDIAN BANK BRANCH: RAJAJINAGAR, BANGALORE	Payment Receipt (In case of EMD is required to be submitted by the bidder in the form of Demand Draft and FDR, original of the said instrument needs to be enclosed with tender document)
2.	Copy of PAN Card & GST No.	Enclose – Self Attested Copy of PAN Card & GST No.
3.	Copy of Bank Mandate Form / Cancelled Cheque	Enclose – Self Attested Copy of Bank Mandate Form / Cancelled Cheque
4.	Entire Tender Document duly signed & stamped by the bidder	Enclose – Entire Tender Document duly signed & stamped
5	Average Annual Financial Turnover during the last 3 years, ending 31st March 2025, should be at least Rs.5,00,000/- (Rupees Five Lakh only) (Annexure 1)	Enclose Annual Report in Annexure – 1, as certified by Chartered Accountant (Balance Sheet and Profit & Loss Account) for the last 3 (three) financial year's i.e., From 2022-23, 2023-24 & 2024-25)
6	Last 3 years Income Tax Return (ITR)	Enclosed the Self Attested Copy of last 3 years Income Tax Return (ITR) (2022-23, 2023-24 & 2024-25)

7		Enclose – Duly filled 'Work of Similar Nature Certificate (Annexure – 2)"
8.	Duly Filled and Stamped "No Conviction Certificate" (Annexure 3)	Upload – Duly filled 'No Conviction Certificate (Annexure – 3)"

RGIPT, Bengaluru reserves the right to reject the bid if any of the above-listed documents are not submitted.

Offline Composite Tender on Item Rate (Unit Rate) basis are hereby invited under the heading "Wood partition work for Training and Placement cell" at RGIPT Bangalore Campus.

- 1. The Bid should contain all the relevant information and desired enclosures in the prescribed format along with Earnest Money Deposit (EMD).
- 2. The total time for carrying out the work will be 40 days. The date of commencement shall be reckoned from the date of acceptance of award letter/work order.
- 3. The Earnest Money Deposit EMD of Rs. 78,250.00/- (Rupees Seventy-Eight Thousand Two Hundred Fifty Only) in the form of NEFT/ FDR/ Demand Draft in favor of 'Rajiv Gandhi Institute of Petroleum Technology' payable at 'Bangalore'. Tender received without EMD will be invalid and rejected.
- 4. The EMD may be forfeited:
 - a) if the bidder withdraws the bid after bid opening during the period of validity.
 - b) Any unilateral revision in the offer made by the tenderer during the validity of the offer.
 - c) Upon non-acceptance of work order, when placed.
 - d) If any bidder furnishes any incorrect or false, statement/information/document.
- 5. The bid security (EMD) shall be returned to the unsuccessful bidders after finalization of tender without any interest.
- 6. The Institute does not bind himself to accept the lowest or any tender and reserves to himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rates as quoted.
- 7. Canvassing in connection with the tenders is prohibited and the tenders submitted by the bidder who resort to canvassing are liable for rejection.
- 8. Tender submitted shall remain valid for 120 days from the date of opening of tender.
- 9. Before tendering, the tenderer shall inspect the sites to fully acquaint himself with the condition regarding accessibility of site, nature, and extent of ground working condition of site and locally including stacking of materials, installation of tools and plants etc. conditions affecting accommodations and movement of labor etc. required for the satisfactory execution of the work contract. No claim whatsoever on such account shall be entertained by the Institute in any circumstances.

- 10. The clarification, if required, may be obtained from the office of Incharge Rajiv Gandhi Institute of Petroleum Technology, Bengaluru Campus. Post: Hasigala, Hoskote Taluk, Bengaluru Rural Karnataka— 562165 on any working day (Monday to Friday) between 11:00 Hrs. to 16:00 Hrs. from 29-09.2025 To 15-10-2025 on 9927285001.
- 11. RGIPT, Bengaluru, reserve the right to accept or reject all or any bid/quotation without assigning any reason thereof.

GENERAL TERMS & CONDITIONS

1) INTERPRETATION

WORK OR WORKS:

Shall mean all work or work defined in schedule of quantities, specifications and such other work or works as the contractor may be entrusted with for carrying out under this contract.

INSTITUTE:

Shall mean Rajiv Gandhi Institute of Petroleum Technology, Hoskote, Bangalore rural.

ENGINEER:

Shall mean the Engineer designated by the Institute to superintend and perform other duties as indicated in the contract.

CONTRACTOR:

Shall mean the individual or firm or company, whether incorporated or not undertaking the work and shall include the legal personal representative or such individual or the persons composing such firms or company or the Successor of such firm or company and the permitted assignees of such individual or firm(s) or Company.

SITE:

Shall mean the Rajiv Gandhi Institute of Petroleum Technology, Hoskote, Bangalore rural.

2) Eligibility Criteria:

To qualify in the Bid the firm should have the minimum eligibility criteria; the firm in this regard should submit the following documents-

- a) The bidder should be an Indian Registered Company under Companies Act 1956/ Proprietorship / Firm / Company of any of these. Copy of Certificate of Incorporation / Registration or any other relevant document, as applicable, should be submitted along with a copy of address proof Copy of constitution or legal status of the sole proprietorship / firm / company etc.
- b) Average Annual Financial Turnover during the last 3 years, ending 31st March 2025, should be at least Rs.5,00,000/- (Rupees Five Lakh Only). (Please submit Annual Report in Annexure 1, as certified by Chartered Accountant (Balance Sheet and Profit & Loss Account) for the last 3 (three) financial year's i.e. From 2022-23, 2023-24 & 2024-25).
- c) The tenderers should have successfully completed similar works (Wood partition, interior) during last 7 (Seven) years ending on 30th April 2025 should be either of the following:
 - i) Three similar completed works each of costing not less than the amount equal to Rs. 10,00,000/- (Rupees Ten lakhs only); or

- ii) Two similar completed works each of costing not less than the amount equal to Rs. 6,50,00/- (Rupees Six lakhs Fifty Thousand only); or
- iii) One similar completed work costing not less than the amount equal to Rs. 12,00,000/- (Rupees Twelve Lakh only).
- d) The bid should be accompanied by EMD for bid security of the amount.
- e) Duly filed **Annexure 3** (No Conviction Certificate).
- f) Copy of Income Tax Return Filed Acknowledgement for last 3 (three) financial year's i.e., from 2022-23, 2023-24 & 2024-25) should be enclosed.
- g) Copy of PAN Card.
- h) Copy of GSTIN registration certificate.
- i) Copy of Bank Account details
- j) Entire NIT duly signed & stamped by the bidder.
- 3) Bidder is required to quote his item rates in the BOQ attached in accordance with the scope of work, terms & conditions enclosed. The rates/price quoted by contractor should be inclusive all material cost, labour, plant/machinery/tools & tackles, ladders & scaffolding required for work, freight, Insurance, Govt. duties & levies, transport/cartage of materials/labour and all other expenses not specifically mentioned but reasonably implied. No extra charges will be paid to the contractor over and above these rates. It is mandatory for bidder to quote all items rate as asked for in the BOQ/PRICE schedule. If bidder fails to fill any of the field in BOQ item, then overall L1 will be decided on the existing parameter and submitted rates. No extra payment will be paid because of non-full filment of rate for any of the BOQ item. Further the L1 bidder is bound to perform his obligations for all the BOQ items as mentioned in the BOQ against his L1 price.

4) **SECURITY DEPOSIT:**

- **4.1** The contractor shall be required to deposit an amount equal to 5% of the contract value as security deposit through Demand Draft in favor of "Rajiv Gandhi Institute of Petroleum Technology" payable at "Bangalore" within 7 days from the date of issuance of Work Order.
- **4.2** Security deposit shall be released to the contractor without interest after completion of all contractual obligations of the work based on 'Completion Certificate' issued by the competent authority and on submission of No Claim Certificate (**Attached as Annexure -4**) by the Contractor. The security deposit shall be valid for a period of 60 (Sixty) days beyond the period of Defect Liability Period (DLP). If required, the EMD can be converted into security deposit after submission of written application and submission of balance amount by Demand Draft.

4.3 In case of termination of contract, the security deposit shall be forfeited.

5) DEFECT LIABILITY PERIOD:

Defect Liability Period shall be 6 (Six) months from the date of completion of all contractual obligations of the work based on 'Completion Certificate' issued by the competent authority.

6) PRICE VARIATION:

No escalation over and above items rates quoted by the bidder shall be paid during the execution of contract.

7) COMPLETION TIME:

The total time for carrying out the work will be 40 days. The date of commencement shall be reckoned from the date of acceptance of award letter/work order. Time is the essence of the contract.

8) EXTENSION OF TIME:

If the contractor desires for extension of time in respect of completion of work, on the grounds of his having been unavoidably hindered in its execution or any other ground, he shall apply in writing to the Executive Engineer (Civil), on account of which he desires extension, as aforesaid, and the Executive Engineer (Civil) shall, in his opinion (which shall be final) reasonable grounds shown therefore, authorize such extension of time if any, which may in his opinion be necessary or proper.

9) PAYMENT TERMS & CONDITIONS:

- 9.1 RGIPT will not pay any mobilization advance for the work.
- 9.2 Payment will be paid based on the actual work done, measured and approved by RGIPT upon satisfactory completion of the whole work.
- **10) LIQUIDATED DAMAGES:** In case of delay in completion of the work, the contractor shall pay liquidated damages an amount equal to 01% of the contract value per week of delay subject to a maximum of 10% of contract value.
- 11) If any extra or substituted item appears in the work, contractor shall submit its rate analysis supported with documents which shall be approved by RGIPT. If required, RGIPT can make its own analysis based on CPWD DSR (Delhi Schedule of Rates) document of CPWD or based on market rates for determining item rate.
- **12)** The quantities mentioned in the tender are approximate. The payment shall be made based on actual work carried out. Variation in the quantities, if any, shall not vitiate the contract.
- 13) The contractor shall normally have to make his own arrangement for storage of materials and staying of labor. No request for accommodation of labor within the campus will be entertained under any circumstances. However, at request of contractor, a room shall be allotted for storing materials, within the campus, depending upon the availability.

- **14) Samples** of all materials and other articles required for use on the work shall be got approved by Engineer-in-Charge, RGIPT before the start of work.
- **15) All** material and articles brought by the contractor to the site of work for use shall conform to the samples approved. Final decision to reject any material shall rest with the RGIPT.
- **16) Makes** of various materials to be used by contractors will be according to the list of preferred makes given. No other make will be used by the contractor. In case any material/ product does not available in the market, alternate product as per decision and approval of Engineer-in-Charge shall be used.
- 17) Contractor will arrange proper ladders and staging (for working at higher levels) at his own cost and will take all safety measures like safety belts, extra labour to hold ladders/staging etc. If it is observed that work is proceeding without adequate safety precautions, work may be stopped by Engineer-In-Charge and in such cases, contractor will be solely responsible for delay and its consequences thereof.
- 18) Detailed technical specification for miscellaneous civil work at RGIPT campus with respect to materials & workmanship and mode of measurements will be as per IS (Indian Standard) codes and CPWD (Central Public Works Department) specifications, unless mentioned otherwise.

19) LABOUR LAWS:

The contractor will abide by all the rules and regulations related to labour laws, accident, workmen compensation act, workmen insurance etc. This will be the sole responsibility of the contractor. RGIPT will not be a party at any stage in any of the disputes relating to the above. In case RGIPT must bear any expenditure due to non-conformance of the above provisions by the contractor, the same will be recovered from contractor's bills.

- 20) The contractor shall depute competent Engineer / Supervisor for day-to-day supervision, coordination, liaison and other works etc. The representative of the Contractor shall attend regular / required meetings to expedite the works and sort out difficulties, if any. The contractor is responsible for progress of work and for hurdles, if any, in the progress of work, attributable to the contractor.
- **21)** Contractor will take due permission for entry of all his workmen in RGIPT. No unauthorized person will be allowed to work inside.
- 22) The contractor will provide for all necessary materials, tools, equipment, access ladders & scaffolding, measuring instruments and working consumables etc. needed for execution of the works. Safe custody of all such materials will be contractor's sole responsibility. No extra charges will be paid for the same. Watch and Ward of all material till the system is taken over by RGIPT shall be the sole responsibility of the contractor and pilferage etc. shall be entirely to his account.

- 23) During execution of work, the contractor should follow all standard norms of safety measures/precautions as per relevant IS codes and CPWD specifications to avoid accidents/damages to man, machines, and buildings, at his own cost. Contractor will have his own arrangement to escort the labour to the nearest hospital for treatment in case any injury happens to any worker during execution of work.
- **24)** No material belonging to the contractor whether consumable or non-consumable should be brought inside the RGIPT campus without proper entry at the Main Gate nor should any material be taken out without proper gate pass issued by the authorized representatives of the RGIPT.
- 25) During execution of the work, contractors should dispose of waste material on regular basis and should keep the area of work properly cordoned off and neat and clean as far as possible. After completion of work, contractor should clear the site completely of all unwanted and junk material before submitting his final bill.
- **26)** RGIPT will provide free water and electricity during execution of work at one point. The contractor must make his own arrangements for supplying power and water from that point onwards as per his requirements.

27) FORCE MAJEURE:

Conditions beyond control of either parties like war, hostility, acts of public enemy, civil commotion, sabotage, serious loss or damage by fire, explosions, epidemics, strikes, lockouts or acts of God come under the legal concept of Force Majeure (FM). Delays in performance of contractual obligations under influence of FM conditions are condonable by the other party without any right to termination or damages, provided, notice of the happening of any such event is given by the affected party to the other within 7 (seven) days from the date of occurrence. Works under the contract shall be resumed as soon as practicable after such event has come to an end or ceased to exist. However, if such event continues for a period exceeding 90 days, either party may at its option terminate the contract by giving notice to the other party.

28) ARBITRATION:

All disputes or differences whatsoever arising among the parties under and/or in connection with and/or in respect of this tender shall be referred to and decided by a sole arbitrator, who shall be appointed by the Competent Authority, RGIPT. The arbitration shall be conducted in accordance with Arbitration and Conciliation Act of 1996, along with is relevant amendments and the venue of the arbitration shall be in RGIPT, Jais, Amethi. The proceedings of arbitration shall be in English language.

SCOPE OF WORK

Scope of work will consist of Wooden Partition Work on Ground Floor of Admin. Block, as per required location which shall be carried out as per attached drawing.

LIST OF PREFERRED MAKES

SL.NO.	MATERIALS	MANUFACTURER/BRAND/MAKE
1	LAMINATES	ACTION TESA, MERINO, ARCHIDPLY, GREENLAM, CENTURY
2	PLYWOOD	GREENPLY, CENTURY, MERINO, ARCHIDPLY, GREENPANEL
3	SS SOFT CLOSING SPRING HINGES	DORMAKABA, HAFELE, OZONE, EBCO, DORSET, KICH, GODREJ
4	DOOR CLOSER, DOOR LOCK	GODREJ, DORMAKABA, DORSET, KICH, OZONE
5	ALUMINIUM SECTION	HINDALCO, JINDAL, & INDIAN ALUMINIUM CO.
6	SCREW	GOOD QUALITY STAINLESS STEEL (SS) SCREW
7	SILICON SEALANTS	DOW CORNING, WACKER, GE SILICON, PIDILITE

Note: Makes of miscellaneous civil items supplied by vendors will be according to the list of above preferred makes given. No other make will be supplied by vendor. In case any material/product does not available in the market, alternate product as per decision and approval of Engineer-in-Charge shall be supplied by the vendor.

AVERAGE ANNUAL FINANCIAL TURNOVER

Turnover of the Bidder in last 3 years (Please submit CA certified copy of Annual Reports)

Year	Annual Report Submitted (Yes / No)	Turnover in Rs. (Lakh)	Profit/ Loss
2022-2023			
2023-2024			
2024-2025			
Total			
Average			

DETAILS OF WORK OF SIMILAR NATURE

Details of similar work / order executed during last 7 years ending 30.04.2025 (Please submit copy of completion certificate from the client.

S. No.	Name of Work	Authority under whom the work has been executed	Agreement / acceptance letter reference with date of issue	Value of work as per agreement/ acceptance	Date of actual completion of work / extended date of completion	Value of the work completed	Supporting Document

NO CONVICTION CERTIFICATE

(On company letterhead)

This is to certif	y that	(Name of the firm/organization),
having	registered	office at
		(Address of the
registered offic	e) has never been blackliste	ed or restricted to apply for any such
activities by ar	ny Central / State Governm	nent Department /Semi Government
department/ PS	U/ Autonomous bodies or C	ourt of law anywhere in the country.
		Yours faithfully, Signatures
	Na	ame of Vendor or Officer Authorised to sign on behalf of Vendor
		(Company stamp)
ite:		
ace:		


NO CLAIM CERTIFICATE (On company letterhead)


To,
(Contract Executing Officer)
Procuring Entity
Yours faithfully, Signatures Name of Contractor or Officer Authorized to sign the contract documents on behalf of contractor (Company stamp)
Date:
Place:

Check List

Sl. No.	Particulars	Yes/No (Bidders to tick Yes/No)
1	EMD of Rs. 78,250.00/- (Rupees Seventy-Eight Thousand Two Hundred Fifty Only)	Yes / No
2	PAN No, GSTIN No., Bank Account details	Yes / No
3	Copy of Income Tax Return Filed Acknowledgement	Yes / No
4	Copy of Annual Financial Turnover	Yes / No
5	Copy of Similar Nature of Work	Yes / No
6	Copy of No Conviction Certificate	Yes / No
7	BOQ (duly filled with quoted rate and amount of each item)	Yes / No
8	Entire NIT, Tender Document & other paper duly signed & stamped	Yes / No

DRAWING





Bill of Quantity (BOQ) Wooden Partition for Training and Placement Centre at Academic Block, RGIPT, Bengaluru campus Hoskote. **Description** Rate as per Sl. CPWD/ L Unit Nos R D **Qty** SR/Market-No Amount 2023-2024 **Wooden Frame** CPWD-8.27 Providing and fixing specified wood framework consisting of battens 50x25mm fixed with rawl plug and drilling necessary holes for rawl plug etc. including priming coat 1 complete. 8.27.1 Kiln seasoned and chemically treated hollock wood. Cum Horizontal Wall (Top and Bottom 1 4 53.90 0.05 0.025 0.270 and 2 in between intervals of 1.05m) Vertical Wall (intervals of 1 72 0.05 3.05 0.025 0.274 750mm) Vertical at corners 11 4 0.05 3.05 0.025 0.168 and door frame **Total Qty** 0.711 sandwitch for 100 **Total Qtyx2** 1.422 thick wall **Particle Board** CPWD-8.30 Providing and fixing skirting with Pre-laminated (one side decorative and other side balancing lamination) flat pressed 3 layer or graded particle board (medium density) Grade I, Type II, IS:12823 marked, with necessary fixing arrangements and screws, including drilling necessary holes for rawl plugs etc. and priming coat on 2 unexposed surface complete: 8.30.2 25 mm thick. Wall area Sqm Room 1 to 5 2 5 2.70 3.05 82.35 5 2 57.95 1.90 3.05 Staff room 2 1 3.00 3.05 18.30

		2	1	2.85	3.05	17.39	
	T&P Incharge room	2	1	3.20	3.05	19.52	
		2	1	4.40	3.05	26.84	
	T&P Head	2	1	5.10	3.05	31.11	
		2	1	2.80	3.05	17.08	
	TPO 1 & 2	2	2	2.50	3.05	30.50	
	Board Room	2	1	4.40	3.05	26.84	
		2	1	4.90	3.05	29.89	
	Top Surface	1	1	53.90	0.10	5.39	
	Deductions				Qty	363.2	
	Door Openings						
	D	-2	4	1.05	2.10	-17.64	
	D1	-2	6	0.90	2.10	-22.68	
					Total Qty	322.8	
					Total Qty	322.0	
	CPWD- 12.62 Prov Bonded rock wool having density 48 I	conforminkg/m3, 50	g to IS: 8 mm thick,	183,			
3	Bonded rock wool	conforminkg/m3, 50 steed to wall plug & was	g to IS: 8 mm thick, shers and	183, wrapped in held and in p	200 G Virgin		
3	Bonded rock wool having density 48 l Polythene Bags fix with screw, rawel pcossing GI wire etcomplete as per direction. Partiton filler	conforminkg/m3, 50 steed to wall plug & was	g to IS: 8 mm thick, shers and	183, wrapped in held and in p	200 G Virgin		
3	Bonded rock wool having density 48 l Polythene Bags fix with screw, rawel pcossing GI wire etc complete as per direction.	conforminkg/m3, 50 and to wall plug & was conformed to wall plug & conformed to was conformed to the wall plug & conformed to was conformed to wall plug & conformed to wal	g to IS: 8 mm thick, shers and	183, wrapped in held and in p	200 G Virgin	82.35	
3	Bonded rock wool having density 48 l Polythene Bags fix with screw, rawel p cossing GI wire etc complete as per din Partiton filler material	conforminkg/m3, 50 and to wall plug & was to conforming the was to be seen to	g to IS: 8 mm thick shers and Engineer-	183, wrapped in held and in prin-Charge.	200 G Virgin position by criss	82.35 57.95	
3	Bonded rock wool having density 48 l Polythene Bags fix with screw, rawel p cossing GI wire etc complete as per din Partiton filler material	conforminkg/m3, 50 and to wall plug & was to be conformed by the second	g to IS: 8 mm thick shers and Engineer-	183, wrapped in held and in prin-Charge.	200 G Virgin position by criss 3.05		
3	Bonded rock wool having density 48 l Polythene Bags fix with screw, rawel pcossing GI wire etc complete as per direction filler material Room 1 to 5	sed to wall plug & was expections of Sqm 2 2	g to IS: 8 mm thick shers and Engineer-	183, wrapped in held and in prin-Charge. 2.70 1.90	200 G Virgin position by criss 3.05 3.05	57.95	
3	Bonded rock wool having density 48 l Polythene Bags fix with screw, rawel pcossing GI wire etc complete as per direction filler material Room 1 to 5	sed to wall plug & was conforming to	g to IS: 8 mm thick shers and Engineer-	183, wrapped in held and in he	200 G Virgin position by criss 3.05 3.05 3.05	57.95 18.30	
3	Bonded rock wool having density 48 l Polythene Bags fix with screw, rawel pcossing GI wire etcomplete as per direction filler material Room 1 to 5 Staff room T&P Incharge	sed to wall plug & was expections of sqm 2 2 2 2 2	g to IS: 8 mm thick shers and Engineer-	183, wrapped in held and in he	200 G Virgin position by criss 3.05 3.05 3.05 3.05	57.95 18.30 17.39	
3	Bonded rock wool having density 48 l Polythene Bags fix with screw, rawel pcossing GI wire etcomplete as per direction filler material Room 1 to 5 Staff room T&P Incharge	sed to wall plug & was expections of Sqm 2 2 2 2 2	g to IS: 8 mm thick shers and shers are sheriful sheriful sheriful shers and sheriful she	183, wrapped in held and in prin-Charge. 2.70 1.90 3.00 2.85 3.20	200 G Virgin position by criss 3.05 3.05 3.05 3.05 3.05 3.05	57.95 18.30 17.39 19.52	
3	Bonded rock wool having density 48 l Polythene Bags fix with screw, rawel pcossing GI wire etcomplete as per direction filler material Room 1 to 5 Staff room T&P Incharge room	sed to wall plug & was expections of sqm 2 2 2 2 2 2 2	g to IS: 8 mm thick shers and Engineer-	183, wrapped in held and in particular to the second in-Charge. 2.70 1.90 3.00 2.85 3.20 4.40	3.05 3.05 3.05 3.05 3.05 3.05 3.05	57.95 18.30 17.39 19.52 26.84	

	Board Room	2	1	4.40		3.05	26.84		
		2	1	4.90		3.05	29.89		
	Deductions					Qty	357.8		
	Door Openings								
	D	-2	4	1.05		2.10	-17.64		
	D1	-2	6	0.90		2.10	-22.68		
	Frame area	-2	1	4.00	53.90	0.05	-21.56		
		-2	1	71.87	0.05	3.05	-21.92		
		-2	11	4.00	0.05	3.05	-13.42		
					Total	Qty	260.5		
	Doors								
4	ply veneering with veneering with veneering shutter Stainless Steel butter including ISI market	rs.9.21.2 (hinges wi	30 mm th th necess:	ick includinary screws 3	ng ISI marke 30 mm thick	ed			
4	both faces of shutter Stainless Steel butt I including ISI marke screws	rs.9.21.2 (hinges wi	30 mm th th necess:	ick includinary screws 3	ng ISI marke 30 mm thick	ed			
4	both faces of shutter Stainless Steel butt I including ISI marke screws Door Openings	rs.9.21.2 (hinges wi	30 mm th th necess:	ick includinary screws 3	ng ISI marke 30 mm thick	ed			
4	both faces of shutter Stainless Steel butt I including ISI marke screws Door Openings D	rs.9.21.2 (hinges wi	30 mm th th necess:	ick includinary screws 3	ng ISI marke 30 mm thick	ed	8.82		
4	both faces of shutter Stainless Steel butt I including ISI marke screws Door Openings	rs.9.21.2 ; hinges wi ed Stainle	30 mm th th necessa ss Steel b	ick including ary screws and the screws are screws and the screws are screws	ng ISI marke 30 mm thick	ed ary	8.82 11.34		
4	both faces of shutter Stainless Steel butt I including ISI marke screws Door Openings D	rs.9.21.2 chinges with a stainle square squa	30 mm th th necessars Steel b	ick including screws in the screw in the screws in the screw in	ng ISI marke 30 mm thick	2.10 2.10			
4	both faces of shutter Stainless Steel butt I including ISI marke screws Door Openings D D1	rs.9.21.2 chinges with a stainle square squa	30 mm th th necessars Steel b	ick including screws in the screw in the screws in the screw in	ng ISI marke 30 mm thick with necess:	2.10 2.10	11.34		
5a	Door Openings Door Fittings CPWD-9.20 Provid (barrel type) with neetc. complete: 9.74	s.9.21.2 shinges wind Stainles Sqm 1 1 ing and firecessary s	30 mm the the necessary steel by 4 6 crews	ick including screws 3 auth hinges 1.05 0.90	ng ISI marke 30 mm thick with necess:	2.10 2.10 Qty	11.34		
	both faces of shutter Stainless Steel butt I including ISI marke screws Door Openings D D1 Door Fittings CPWD-9.20 Provid (barrel type) with no	s.9.21.2 shinges wind Stainles Sqm 1 1 ing and firecessary s	30 mm the the necessary steel by 4 6 crews	ick including screws 3 auth hinges 1.05 0.90	ng ISI marke 30 mm thick with necess:	2.10 2.10 Qty	11.34		
	both faces of shutter Stainless Steel buttaincluding ISI market screws Door Openings D D1 Door Fittings CPWD-9.20 Provid (barrel type) with neetc. complete: 9.74. brass tower bolts D	sqm 1 1 ing and fiecessary s .1 250x10	30 mm the the necessary steel by 4 6 crews	ick including screws 3 auth hinges 1.05 0.90	ng ISI marke 30 mm thick with necess:	2.10 2.10 Qty	11.34		
	both faces of shutter Stainless Steel buttaincluding ISI market screws Door Openings D Door Fittings CPWD-9.20 Provid (barrel type) with no etc. complete: 9.74.	scanning and fine seasons of the sea	30 mm the the necessars Steel by 4 6 crews mm	ick including screws 3 auth hinges 1.05 0.90	ng ISI marke 30 mm thick with necess:	2.10 2.10 Qty	11.34 20.2		

5b	CPWD-9.20 Provid (barrel type) with ne etc. complete: 9.74.	ecessary s	crews	nished brass tower bolts		
	brass tower bolts	Nos				
	D	1	4		4.00	
	D1	1	6		6.00	
		1		Total Qty	10.0	
6		ck with 6	levers and	nished brass 100 mm pair of lever handles of . complete.		
	mortice latch	Nos				
	D	1	4		4.00	
	D1	1	6		6.00	
				Total Qty	10.0	
7	door stopper	Nos				
	D	1	4		4.00	
	D1	1	6		6.00	
				Total Qty	10.0	
8	tubular type univers ISi, IS: 3564, embo kg to 80 kg and doo	al hydrau ssed on tl r width fr	lic door cl he body, d om 701 m	m extruded section body (having brand logo with weight upto 36 o 1000 mm), with double s and screws etc. complete.		
	hydraulic door closer	Nos				
	D	1	4		4.00	
	D1	1	6		6.00	
				Total Qty	10.0	

	1						r		
	CPWD-12.53 Provid								
	edged eco friendly li								
	silicate false ceiling								
	true horizontal level,								
	suspended on inter lo sections (galvanising								
	(a) 120 grams per sqr								
	runner suitably space								
	at joints to get requir								
	mm thick (minimum								
	sheet, spaced 1200 m								
	mm made out of 0.33								
	mm (Minimum) sheet, 1200 mm long spaced between main'T' at 600								
	mm centre to centre	to							
	form a grid of 1200x								
	mm and size 24 x28								
	made of 0.33 mm thi								
	of the 1200x 600 mn								
0	panel to from grid of								
9	/partitions on a Perin wall angle pre-coated								
	thick (minimum) she								
	with the help of rawl								
	long dry wall screws								
	mm interval and layi		thick de	nsified edg	ges calicum s	ilicate			
	ceiling tiles of appro-								
	texture in the grid, in	cluding, cu	ıtting/ n	ices like					
	diffusers, grills, light								
		smoke detectors etc., wherever required. Main 'T'							
	runners to be suspend								
	from ceiling using G								
	ceiling with 12.5 mm								
	and 50 mm long dash								
	galvanised steel leve of size 85 x 30 x 0.8		d at 120)() mm can	tra to centre o	long			
	main 'T', bottom exp		u at 120	nong					
	with 24 mm of all Ts		ıll be nr	baked					
	paint, for all heights,								
	per specifications, dr								
	Room area	Sqm	1	9.7	14.505		140.7		
			1	4.6	0.7		3.2		
			1	3.6	0.7		2.5		
		Total Qty				Qty	146.4		
		Total Qty 90%							
	1				I.		1	1	1

10	CPWD-12.31 Provi anhydrous) ceiling u above floor level, or mm gap in between reinforced with rabb be paid separately):	up to a height over first class land bit wire mesh f			
	item no 8. Above Qty 10%	Sqm	Total Qty	146.4	
			Total Qty 10%	14.6	
11	CPWD-12.32 Extra (Gypsum anhydrous				
11	(Gypsum annyurous	s) ceiling.			
	item no 8. Above Qty 10%	Sqm	Total Qty	14.6	
			Total Qty 10%	14.6	
12	CPWD- 8.8 Providi /R.C.C./Brick maso including drilling no	nry surface ba			
	8.8.1.3 Fastener with threaded dia 12 mm	Nos	Total Qty	150.0	
			Total Qty	150.0	
	Sub-total-1=				
	Grand Total= Amount in words:				

Note: The tender job will be awarded on overall L1 basis, not on individual item basis.

(Signature of tenderer with seal) Name: