То

राजीव गाँधी पेट्रोलियम प्रौद्योगिकी संस्थान

(संसद के अधिनियम द्वारा स्थापित राष्ट्रीय महत्व का एक संस्थान) (पेट्रोलियम एवं प्राकृतिक गैस मंत्रालय, भारत सरकार)



Rajiv Gandhi Institute of Petroleum Technology

(An Institute of National Importance established under the Act of Parliament) (Ministry of Petroleum & Natural Gas, Government of India)

Date: 12.11.2025

Ref. RGIPT/JAIS/IWD/QE/2025-26/19

10,	
M/s [Name of Agen Address:	
Email	
Contact No	

Sub: Quotation enquiry for Aluminium Partition Work on the 2nd Floor, Admin. Block of RG Plaza at RGIPT, Jais Campus.

Dear Sir,

We request you to submit your competitive rates (quotation) for Aluminium Partition work on the 2nd Floor, Admin. Block of RG Plaza at RGIPT, Jais campus as per the attached BOQ as Annexure -1.

Terms & Conditions:

- a) The quoted rate should be inclusive of **GST & Freight charges.** Agency is requested to only fill the required data in BOQ, no extra terms and condition should be mentioned by the Agency If he does so, then the quotation of that agency will be summarily rejected.
- **b)** The quoted rate shall be valid for a period of 60 days from the last date of submission of quotation.
- c) GST number should be mentioned in the quotation.
- **d)** The total time for completion of work will be 25 days. The date of commencement shall be reckoned from the date of acceptance of Work Order.
- e) No advance payment will be made. The agency should inspect the site before quoting the rate.
- f) The quantity of items in BOQ is tentative which may change depending upon the site conditions.
- **g)** The work will be carried out as per technical specification, drawings & satisfaction of Engineer-in-Charge.
- h) In case of any damage and delay in completion of work, liquidated damages (LD) at the rate of 0.5% of the work order value per week of delay or part thereof, subject to a maximum of 10% of the work order value shall be recovered from the agency/contractor bills.
- The quotation should be sent to us duly *Signed and Stamped* only in *Sealed Envelope* and Super scribed as Ref. No. RGIPT/JAIS/IWD/QE/2025-26/19, Quotation for Aluminum Partition Work on 2nd Floor, Admin. Block of RG Plaza at RGIPT, Jais Campus by registered post or by hand to the office of The Chairman, Institute Works Department, Rajiv Gandhi Institute of Petroleum Technology Jais, Mukhetiya More, Harbanshganj, Tiloi, Amethi, UP 229304.
- j) The quotation should be submitted within 10 days from the date of quotation enquiry i.e., the quotation should be received on or before 24.11.2025 by 04:00 PM. Quotation received after the due date, for whatever reason, will not be considered for evaluation.
- **k)** The order will be awarded to the Agency/Contractor, whose rate will be lowest in terms of the grand total.
- The Institute reserves the right to accept/reject all or any part of the offer without assigning any reason thereof.

Executive Engineer (Civil)

Page 10/-7

Amenine-1

Rajiv Gandhi Institute of Petroleum Technology, Jais, Amethi

Aluminium Partition Work on 2nd Floor, Admin. Block of RG Plaza

S.No.	Description	Unit	Qty.	Rate (Rs.)	Amount (Rs.)
1	Aluminium partition work as per technical specification, attached drawing and complete as per direction of Engineer-in-Charge (Annexure 1)	Sqft	1045.66		
2	GST @ 18% on S . No. "1"	* * * * * * * * * * * * * * * * * * *			
otal Am	ount (S. No. 1 + 2)	a S	* - * * * * * * * * * * * * * * * * * *		

Page 2 of 7

Rajiv Gandhi Institute of Petroleum Technology ,Jais, Amethi

Technical Specification for Aluminium Partition Work at 2nd Floor, Admin. Block

S. No.	Description	Unit	Approx qty only for indicative	
1	Providing and fixing aluminium extruded section body tubular type universal hydraulic door closer (having brand logo with ISi, IS: 3564, embossed on the body, door weight upto 36 kg to 80 kg and door width from 701 mm to 1000 mm), with double speed adjustment with necessary accessories and screws etc. complete.		2	
2	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete:		4	
3	Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete. Twin rubber stopper		1	
4	Providing and fixing bright finished 100 mm mortice lock with 6 levers without pair of handles of approved quality for aluminum door, with necessary screws etc complete as per direction of Engineer-in-charge		2	
5	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately): For fixed portion Powder coated aluminium (minimum thickness of powder coating 50 micron)	As per architectural drawing		
6	For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately) Powder coated aluminium (minimum thickness of powder coating 50 micron)	As per architectural drawing		
7	Providing and fixing 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade I Type II, in panelling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineer-in-charge. Pre-laminated particle board with decorative lamination on both sides	sqm. 4.76		
8	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item): With float glass panes of 5 mm thickness (weight not less than 12.50 kg/sqm)			
9.	Providing and fixing frosted film over 5 mm thick float glas complete as per direction of Engineer-in-Charge	sqm.	80.40	


Pago 3 of A

LIST OF PREFERRED MAKES

or 110	MATERIALS	MANUFACTURER/BRAND/MAKE
SL.NO.		HINDALCO, JINDAL & INDIAN ALUMINIUM CO.
1	ALUMINIUM SECTION	
2	CLEAR GLASS, TOUGHENED	SAINT GOBAIN, MODIGUARD, AIS
	GLASS	GODREJ, OZONE, DORSET, DORMAKABA
3	HYDRAULIC DOOR CLOSER	
	MORTICE LOCK	GODREJ, OZONE, DORSET, DORMAKABA
4.		DOW CORNING, WAKER, PIDILITE (DR. FIXIT/ROFF).
5	WEATHER SILICON SEALANT	BASF
100000000000000000000000000000000000000		


Note: Makes of misc. raw material items to be used by agency/contractor for construction of aluminium partition work will be according to the list of above preferred make given. No other make will be used by bidder. In case any material/ product is not available in the market, alternate product as per decision and approval of Rajiv Gandhi Institute of Petroleum Technology (RGIPT) shall be used by the bidder.

Page 4 % 7



Aluminium partition section = $49.91 \times 44.50 \times 2.0 \text{ mm}$

Aluminium door section = $85.00 \times 44.50 \times 2.0$ mm




Elevation C, D & E

Aluminium partition section = $49.91 \times 44.50 \times 2.0 \text{ mm}$

Aluminium door section = $85.00 \times 44.50 \times 2.0 \text{ mm}$








Elevation F

Aluminium partition section = $49.91 \times 44.50 \times 2.0 \text{ mm}$

Aluminium door section = $85.00 \times 44.50 \times 2.0 \text{ mm}$



Elevation G

Aluminium partition section = $49.91 \times 44.50 \times 2.0 \text{ mm}$

Aluminium door section = $85.00 \times 44.50 \times 2.0 \text{ mm}$

